

ELLINGION

LIGHTING THAT HITS ALL THE RIGHT NOTES

Ellington blends retro and modern design with a refined geometric silhouette that fits seamlessly into contemporary, industrial, and historical spaces. Like a well-composed melody, its continuous contours create an effortless flow, embodying a classic symmetrical form. With no visible fasteners, Ellington strikes a perfect chord between understated elegance and bold expression—inviting designers to compose their own lighting masterpiece.





FREEDOM

OF

COMPOSITION

Ellington is designed with a complete family approach, offering flexibility through a range of mounting options—including pole, wall, ceiling, and suspended configurations.

It ensures a cohesive aesthetic while accommodating a diverse range of design visions and functional needs.



TO CUBE










ANCHORED IN ELEGANCE

Tenon Clamp Mount anchors luminaires securely to 4-inch poles, supporting single, twin, and multiple configurations at varying heights with steadfast precision. Designed for strength and versatility it combines robust functionality with a clean, understated profile that stays true to its purpose.





THE SOUL OF





ONE. TWO. THREE.



SYMMETRIC

Provides uniform light distribution in all directions; ideal for open spaces.



ASYMMETRIC

Directs light to one side; perfect for areas where focused illumination is needed.



PATHWAY

Optimized for linear walkways, ensuring even illumination along paths and corridors.

WHERE EVERY FINISH TELLS THE STORY OF YOUR

Ellington's selection of standard finishes allows for a look that harmonizes with any aesthetic. Faux wood options for poles add an organic touch. Every finish is expertly applied in-house at Luminis, drawing from over 30 years of experience in high-quality, durable finishing.



Features

- Indoor and Outdoor
- Family approach with lots of mounting options
- Comfort lighting with a uniformly lit surface that reduce glare

- Recessed optical lens that delivers 3 distinct comfort distributions
- Refined to the minute details, no visible hardware

Options

- Outputs from 2,250 to 5,000 delivered lumens
- LED module available in 2700K, 3000K, 3500K, 4000K
- Input voltage: 120V-277V, 347V-480V
- 3 comfort distributions : Symmetric, Asymmetric, Pathway
- nLight AIR
- Photocell (pole & wall mounted)

- Internal motion sensor
- Fuse safety & surge protector
- Remote emergency battery
- Standard finishes & faux wood finishes (pole Only)
- Marine grade paint & Natatorium suitable

Distributions









Colours













Control



Mounting options



CEILING



PENDANT

STEM







PENDANT CATENARY



POLE MOUNT



SHERPHERD



WALL MOUNT SHERPHERD ARM

JET BLACK


















Faux wood finishes























LUMINIS

ELLINGION

260 Labrosse, Pointe Claire QC H9R 5L5

514-683-3883 1-866-586-4647

info@luminis.com

LUMINIS.COM

