



Tranquility Series





# Bring a sense of calm to your environment

BalancedCare by Axis Lighting understands how biophilic design positively impacts a patient's state of mind by bringing the outdoors in.

Introducing Tranquility Series, a collection of BalancedCare luminaires integrating a range of inspiring images enabling design freedom and promoting wellness, serenity and faster recovery times.

Form meeting function - it's in our DNA.

## **Tranquility Series**

### **CONTENTS**

Overview	2
Product Families	
Patent pending Drop Lens	4
Overlay Grid	8
Regressed Lens	12
Tranquility Sconces	16
Image Library	
Imagery at a glance	23
Sky Scenes	24
Nature Scenes	26
Designer Patterns	30
Pediatric Patterns	36
Custom Images	42
Listing and Technology	44




## **Tranquility Series**

In healthcare facilities, nature scenes and other imagery are known to lessen anxiety, improve mood and enable shorter hospital stays. There are opportunities for "positive distractions" by bringing in playful, colorful images to an otherwise stressful environment.

### A sense of calm

Tranquility Series leverages a wide variety of uplifting, aesthetic images seamlessly applied over BalancedCare luminaire optics. The aim is to reduce stress and foster healthier outcomes.





### Luminaire options

appealing images and textured patterns – and wide choice of wall-mount and ceilingmount luminaires and layout possibilities you have the flexibility to meet the needs of any environment.


- > Choice of CCT: 2700K, 3000K, 3500K, 4000K
- > Axitune® Tunable White options: 2700K - 5000K or 2700K - 6500K



**DROP LENS** BCTQD



**SCONCES Open Book BCSOTQ** 



**OVERLAY GRID** BCTQG



**SCONCES Closed Book** BCSCTQ



**REGRESSED LENS BCTQR** 



**SCONCES** Box **BCSBTQ** 

## Patent Pending Drop Lens

Our patent pending Drop Lens is unlike any other luminaire in the healthcare sector. With its 2'x2' footprint, crisp corners and uniform glow, it lets you design stunning luminous ceilings by playing with illuminated volumes. While adding interest to the ceiling line, Drop Lens also adds a layer of brightness to adjacent ceilings and walls. Tranquility Drop Lens configurations feature wrap-around imagery and a choice of eight lens depths.




# Exclusive 3D optics ideal for creating distinctive luminous ceilings

Create a 3D ceiling that captivates and inspires. Play with the different lens depths to deliver a fresh, unique approach to the ceiling profile.

- > 2'x2' Dimension
- > Lens depths from flush to 7" in 1" increments
- > Recessed housing less than 5" deep
- > 3000 lumens\*
- > Compatible with 9/16" and 15/16" grids





### **Design Flexibility**

The Drop Lens family provides design flexibility, with lens options from flush to 7" depths. These can be field adjusted, to complement any application and add 3D interest to the ceiling.













### **How to Specify**

**Decide** on your layout

The Tranquility Drop Lens comes in various lens depths. Select the depths for your design.


**Select** the image

Select the image from our image gallery. (See page 23)

**Review** your proof

Send us your layout with identified depths and your choice of image and we will prepare a proof for your final approval.

Tranquility Series is easy to specify. Simply follow the four-step process. Once the configuration is determined, our standard images can be cropped to fit the desired format. We can customize the pattern to achieve the exact look for each pattern.







Four Panels (2'×2') **Eight Panels** (2'×2')

Enjoy the final installation!

# Overlay Grid

Overlay Grid lends itself to creating a central luminous ceiling as a focal point. With its minimalist square form, flush appearance and uniformly lit diffuser that conceals the grid, this Tranquility luminaire features dimmable ambient lighting while transforming multi-unit graphics into a single, continuous image.




Clean, uninterrupted appearance

- > 2'x2', 4'x4' Dimensions
- > Recessed housings suited to shallow plenums:
  - 2'x2': 3 1/2" deep
  - 4'x4': 5 1/8" deep
- > Output: 2'x2' 4000 lumens\*, 4'x4' 8000 lumens\*
- > Compatible with 9/16" and 15/16" grids









**OVERLAY GRID** BCTQG 4'x4'



Clean appearance when installed side-by-side, fully concealing T-bars. Decorative fasteners made of brushed aluminum.













## **How to Specify**

Decide on your layout

The Overlay Grid conceals the T-bar, so a single image can cover a multi-unit array. It comes in two sizes 2'x2' and 4'x4'.

Select the image


Select the image from our image gallery. (See page 23)

Review your proof

Send us your layout with identified sizes and choice of image and we will prepare a proof for your final approval.

Tranquility Series is easy to specify. Simply follow the four-step process. Once the configuration is determined, our standard images can be cropped to fit the desired format. We can customize the pattern to achieve the exact look for each pattern.

2'x2' 4'x4' 2'x2'



Two Panels (2'×2')

Single Panel  $(4'\times4')$ 

Two Panels (4'×4')

TQ124




Two Panels (2'×2')



Single Panel (4'×4')



Two Panels (4'×4')




## Regressed Lens

Features an elegantly regressed lens that suggests a skylight appearance. Choose from two Regressed Lens options to provide a low profile, elegant architectural effect. When coupled with a beautiful designer pattern, it appears to float in the ceiling.




## **Skylight appearance**

- > Regressed lens to enhance skylight effect
- > Easy-to-remove lift'n'shift lens no visible latches
- > 2'×2': 2100 lumens\*, fits 15/16" and 1.5" grids
- > 2'×4': 5400 lumens\*, fits 15/16" and 1.5" grids









**REGRESSED LENS** BCTQR 2'x4'













## **How to Specify**

Decide on your layout

The Regressed Lens comes in two sizes 2'x2' and 2'x4'.

Select the image

Select the image from our image gallery. (See page 23)

Review your proof

Send us your layout with identified sizes and choice of image and we will prepare a proof for your final approval.

Tranquility Series is easy to specify. Simply follow the four-step process. Once the configuration is determined, our standard images can be cropped to fit the desired format. We can customize the pattern to achieve the exact look for each pattern.

2'x2'	2'x2'	2′x2′	2′x4′	2′x4′	2′x4′	2'x4'
2'x2'	2′x2′	2'x2'	2 74	2 84	2 A <del>4</del>	2 A4
Two Panels (2'×2')	Four Panels (2'×2')		Single Panel (2'×4')	Three Panels (2'×4')		









Single Panel (2'×4')




Three Panels (2'×4')



Enjoy the final installation!


# **Tranquility Sconces**

Tranquility Sconces let you add soft layers of light to complement any environment. Sconces can be dimmed when desired to provide ambient lighting and wall glow.



## **Creating soft layers** of light

- > Horizontal or vertical orientation, surface mounting in multiple lengths.
- > Amber nightlight option helps with nocturnal wayfinding.
- > Detachable backplate for quick-disconnect and room-side access to driver.
- > Shallow depth:
  - Closed Book 3 1/8"
  - Open Book -2 3/8"
  - Box 2"









**OPEN BOOK BCSOTQ** 



**BOX BCSBTQ** 
















## Tranquility wall solutions

In addition, they provide superior design flexibility. With four sizes to choose from, Tranquility Sconces can easily be scaled to architectural features. Choose playful graphics that enhance pediatric design or soothing graphics for other areas of the facility.

Also, custom colors and wood finishes are available to enhance the surrounding decor.







### **BOX HORIZONTAL EXAMPLE**




Available in all four sizes

### **CLOSED BOOK HORIZONTAL EXAMPLE**



Available in all four sizes

### **OPEN BOOK HORIZONTAL EXAMPLE**



Available in all four sizes





## **How to Specify**

Select the luminaire style

Select the sconce style appropriate to the application.

Select the size


The Tranquility Sconce comes in four sizes. Select the size of your luminaire.


Select the image

Select the image from our image gallery. (See page 23).

Tranquility Series is easy to specify. Simply follow the six-step process. Once the configuration is determined, our standard images can be cropped to fit the desired format. We can customize the pattern to achieve the exact look for each pattern.







## **Choose the** frame color

Choose from the standard Black, Aluminum or White polyester powder coat finishes, or customize with any RAL or Axis wood finish offering.

**Review** your proof

Send us your layout with identified sizes and choice of image and we will prepare a proof for your final approval.

**Enjoy the final installation!** 



**CLOSED BOOK BCSCTO** 



**OPEN BOOK BCSOTQ** 



**BOX BCSBTQ** 

#### **CLOSED AND OPEN BOOK OPTIONS** BCSCTQ, BCSOTQ









**BOX OPTIONS BCSBTQ** 











# Tranquility Series Graphics Gallery

Naturally, the lighting should enhance the space while providing a sense of calm or a boost of energy, depending on the mood you're trying to create. There are opportunities for 'positive distractions' through color changing lighting, illuminated panels, and nature graphics.

Select from the images on the following pages, or contact us for other options. Bring the outdoors in with complete design freedom.

**Custom image options are also** available. Please refer to page 42 for more information.

**Sky Scenes** Nature Scenes




**Designer Patterns** 


**Pediatric Patterns** 

## Sky Scenes

Choose from 12 different sky scenes to explore and admire.



DROP LENS 2'×2' (BCTQD) SHOWN




## Nature Scenes

Choose from 36 different nature scenes to explore and admire.










# **Designer Patterns**

Choose from 12 textures designed to complement any interior. Then select a hue for your preferred texture in the following pages.



**REGRESSED LENS** 2'×2' (BCTQR) AND **SCONCE OPEN BOOK** 18" (BCSOTQ) SHOWN



### **CHECKS**
















**GEO** 

**BOX** 12"





**DROP LENS** 2'x2'













**MOSAIC** 







**REGRESSED LENS 2'x2"** 



TQ212







TQ215 VIOLET





\*These examples are for illustration only. All graphics can be used in all Tranquility luminaires

### **STARBURST**

















DOTTIE

**BOX** 12"







**TQ224** 




SAGE


TAUPE TQ225





TQ227 VIOLET






**HATCHED** 



**OPEN BOOK** 12"




**REGRESSED LENS** 2'x2"



**TQ230** 












\*These examples are for illustration only. All graphics can be used in all Tranquility luminaires

### LINEN



### **ROPE**



### **LEAVES**



\*These examples are for illustration only. All graphics can be used in all Tranquility luminaires

#### **EUCALYPTUS**

















**MEADOW** 







**TQ260** 











**SUCCULENT** 







**REGRESSED LENS** 2'x2"



TAUPE

**TQ266** 









GOLD

TQ270



\*These examples are for illustration only. All graphics can be used in all Tranquility luminaires


# **Pediatric Patterns**

Choose from these nine themes ideally suited to pediatric care facilities. Then select a hue for your preferred theme in the following pages.



REGRESSED LENS 2'×2' & 2'X4' (BCTQR) AND CLOSED BOOK SCONCE 24" (BCSCTQ) SHOWN








BALLOONS BUBBLES BUTTERFLY TANGLE







BALLOON CLUSTER CRITTER CAMP AT SEA







FIBER DOTS SUNSHINE SQUARE

FISH TANGLE

#### **BALLOONS**



#### **BUBBLES**



#### **BALLOON CLUSTER**



\*These examples are for illustration only. All graphics can be used in all Tranquility luminaires

#### **CRITTER CAMP**



**BOX** 12"



**DROP LENS** 2'x2'



TQ318 PRIMARY ONE



**TQ319** PRIMARY TWO



TQ320 PASTEL ONE



TQ321 PASTEL TWO



TQ322 PASTEL THREE



TQ323 FROST

#### **FIBER DOTS**



**CLOSED BOOK 12"** 



**OVERLAY GRID** 2'x2'



**TQ324** PURPLE



TQ325 BLUE



TQ326 **TQ327** RED GREEN



**TQ328** ORANGE



TQ329 FROST

#### **SUNSHINE SQUARES**



**OPEN BOOK** 12"



**REGRESSED LENS 2'x2"** 



TQ330 PRIMARY ONE



TQ331 PRIMARY TWO



TQ332 PRIMARY THREE



**TQ333** PASTEL ONE



**TQ334** PASTEL TWO



FROST

<sup>\*</sup>These examples are for illustration only. All graphics can be used in all Tranquility luminaires


#### **BUTTERFLY TANGLE**











**BOX** 12"

**DROP LENS** 2'x2'

TQ336 PRIMARY

PASTEL

TQ338 FROST







**OVERLAY GRID** 2'x2'



**TQ339** PRIMARY



TQ340 PASTEL




TQ341 FROST

#### **FISH TANGLE**



**OPEN BOOK** 12"



**REGRESSED LENS** 2'x2"



PRIMARY



TQ343 PASTEL



TQ344 FROST

<sup>\*</sup>These examples are for illustration only. All graphics can be used in all Tranquility luminaires



## Custom **Images**

In addition to providing a wide variety of high-resolution images, we have the ability to customize Tranquility luminaires by integrating client-supplied artwork, including photography, company logos and signage. Use this opportunity to create unique graphic themes, increase brand awareness and transform the visual environment.



### **Use your artwork** to customize the environment

Send us your artwork and we will print it. Art supplies must be 150 dpi at 100% image size.



#### **CLIENT-SUPPLIED IMAGES**

Personalize your space - Add images of local scenes, landmarks or special events that connect people with their surroundings.



#### LOGO

Highlight your brand - It will enhance the colors of your logo and leave a long lasting impression.



#### **SIGNAGE**

Improve wayfinding - Make room numbers easier to see and destinations easier to find using illuminated signage.

### **Listings and Technologies**

- 8
- **ADA Compliant** Objects projecting from walls (e.g. sconces) shall protrude no more than 4" into walks, halls, corridors, passageways or aisles
- CCEA
- CCEA Approved The City of Chicago Environmental Air (CCEA) rating ensures that the luminaire is inherently airtight. Wiring and/or branch circuit terminations are sealed off and gasketed from the plenum air space. This listing ensures that the luminaire is sealed to limit air flow from the room side to the plenum.
- IC Insulated Ceiling (IC) recessed lights are rated for direct contact with insulated ceilings or, that is, they can be installed in contact with combustible material or blanketed with thermal insulation.
- NSF2 Denotes that the luminaire has been evaluated for corrosion resistance, cleanability and the ability of exposed material to withstand normal wear. This supports the infection control standards established by healthcare.
- c (UL) us

**UL/CUL Listed** — All BalancedCare luminaires have been tested to be in compliance with Underwriter's Laboratory (UL) performance standards. UL is a world leader in product safety testing and certification.



**BeWell™ Technology** — takes a systems approach to ensure seamless integration between the luminaires, sensors, control devices and users. It also provides multiple LED platforms for the entire series - including spectral programmability provided by tunable white technologies.



**POE** — Power over Ethernet (POE) delivers both lighting power and data transfer on one low-voltage wire, and enables communication with multiple building systems using Ethernet protocol, along with many types of sensors. All BalancedCare luminaires are UL Listed 2108 for POE compatibility.



Axitune® Tunable White — Tunable white technology enables the user to independently control both color temperature and intensity of light within a given application. This provides the ability to change the color of light from warm to neutral to cool in appearance, over time, based on the needs of the occupant or the space.





Since our founding in 1991, Axis Lighting has always been a family-owned company, with an emphasis on people. Our diversity translates into architectural designs that transcend the ordinary and performance that exceeds the norm. We've taken our balanced approach to lighting into the healthcare market to provide solutions that not only function properly, but also provide beautiful, timeless design for all users of the space.

Form meeting function – it's in our DNA.



Tranquility Series

2505 Senkus St. Lasalle, QC, Canada H8N 2X8 Toll Free: 1 800 263-AXIS (2947) Tel.: 514 948-6272

Fax: 514 948-6271

BalancedCare.AxisLighting.com